

COLOUR PRODUCTIVITY AT YOUR FINGERTIPS

Productivity depends on providing your staff with business tools that are not just powerful, but accessible too. These multifunctionals present their considerable capabilities to users through touch-screen control panels that are easy for everybody to use and understand. To make document processes faster and more reliable, the control panels can be customised to simplify regular tasks. The integrated HyPAS™ platform brings compatibility with leading software suites, allowing these multifunctionals to work at the heart of your document environment.

- ▶ Up to 26 A4 pages per minute in colour and monochrome
- ▶ Time to first copy: (10/12) seconds in monochrome (colour)
- ▶ Double-sided print, copy, scan and fax* functionality
- ▶ Easy to use
- ▶ Colour touch-screen control panel
- ▶ Control panel can be personalised for individual users and common tasks
- ▶ HyPAS™ platform brings compatibility with leading document management, security, cost control and fleet management software suites
- ▶ Confidentiality and security provided by SSL, IPsec and Private Print functions
- ▶ Powerful controller architecture: PowerPC 464 @ 800MHz, 1GB RAM, Gigabit Ethernet interface
- ▶ Exceptionally low printing costs in its class
- ▶ Compact and quiet design

*Only FS-C2626MFP.

Usability is assured by the touch-screen control panel's easy access to frequently-used functions, programs and address books.



Card authentication controls access to device functions and stored documents without time-consuming login procedures.



FS-C2526MFP/FS-C2626MFP

A4 COLOUR MULTIFUNCTIONALS

ECOSYS stands for ECOlogy,
ECONomy and SYStem-printing.

With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow-enhancing functions as required. Integrated system software provides long-term cross-network compatibility. KYOCERA's long-life components cost you and the environment less.

PRESCRIBE II

With PRESCRIBE II, Kyocera's page design and control language, even complex graphics, logos and multipart forms can be created independently on a computer and stored in the printer. They can be recalled from the printer's memory as needed, reducing network congestion.

The KM NetViewer

KM Net Viewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunctionals from any Windows® PC and thus provides ideal network administration. It also supports other devices using the SNMP protocol.

Status Monitor and Command Center

The Status Monitor shows a printer's current condition and gives direct access to the web-based Command Centre for the configuration of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode and blocking of access to the control panel).

USB Host Interface for USB Flash Memory

Documents can be printed directly from and scanned to a USB Flash Memory (e.g. USB stick) via the USB host interface. The documents stored as PDF, XPS, TIFF or JPEG are selected directly via the printer's control panel. No computer is required.

HyPAS™ - Hybrid Platform for Advanced Solutions

KYOCERA's powerful software development platform provides compatibility with leading software suites and enables users to customise the functionality and operations of the multifunctional to their individual requirements.

General

Technology: KYOCERA ECOSYS, Colour Laser, HyPAS™ solution platform

Control panel display: 4.3 inch full-colour touch panel display

Engine speed: Up to 26 A4 pages per minute in colour and monochrome

Resolution: 600 x 600 dpi, multibit technology for print quality of up to 9,600 x 600 dpi (print), 600 x 600 dpi, 256 greyscales per colour (scan/copy)

Duty cycle: Max. 65,000 pages per month

Warm-up time: Approx. 29 seconds or less
Time to first print: Approx. 9/10.5 seconds or less in monochrome/colour

Time to first copy: Approx. 10/12 seconds or less in monochrome/colour

CPU: PowerPC 464/800 MHz

Memory: Standard 1,024 MB, max. 2,048 MB

Standard interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100/1000Base-TX, slot for optional print server, slot for optional CompactFlash® card

Integrated accounting: 100 department codes

Dimensions (W x D x H): 514 x 550 x 603 mm

Weight: Approx. 38.7 kg including toner container

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption

	FS-C2526MFP	FS-C2626MFP
Printing:	468 W	475 W
Copying:	465 W	469 W
Stand-by:	78 W	76 W
Sleep-mode:	14 W	16 W

Noise level (sound pressure level ISO 7779/ISO 9296):

Copying/Printing: 50 dB(A)

Stand-by: 30 dB(A)

Safety standards: TÜV/GS, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: 50-sheet multi-purpose tray, 60-220 GSM, A4, A5, A6, B5, Letter, Legal, Folio, Envelopes, Custom (70 x 148 to 216 x 356 mm), 250-sheet universal paper cassette, 60-163 GSM, A4, A5, A6, B5, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm),
Max. input capacity with options: 1,300 sheets

Duplex unit: Duplex supports 60-163 GSM

Reversing document processor: 50-sheet, simplex scan 50-120 GSM, duplex scan 50-110 GSM, A4, A5, B5, Letter,

Your KYOCERA Business Partner:

Legal, Custom (140 x 210 to 216 x 356 mm)

Output capacity: Max. 150 sheets face-down

Print functions

Controller language: PRESCRIBE IIc

Emulations: PCL 6 (Sc/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Operating systems: All current Windows operating systems, MAC OS X Version 10.4 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3 and Private Print

Copy functions

Max. original size: A4/Legal

Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 7 Reductions / 5 Enlargements

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text, photo, mix, graphic/map, printer output

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control

Scan functions

Functionality: Scan-to-e-mail, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WSD (WIA) scan (USB, network)

Scan speed: 35 ipm (300 dpi, A4, monochrome), 25 ipm (600 dpi, A4 monochrome, 300 dpi, A4, colour)

Scan resolution: 600, 400, 300, 200 dpi (256 greyscales per colour)

Max. scan size: A4, Legal

Original recognition: Text, photo, text + photo, OCR

File types: TIFF, PDF, PDF/A, JPEG, XPS

Compression method: MMR/JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once

Fax functions (FS-C2626MFP only)

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 seconds

Scanning speed: 2.5 seconds

One-touch dial: 100 numbers

Address book: 200 entries

Scanning density

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Halftone: 256 greyscales

Maximum original size: A4, Legal

Compression method: JBIG, MMR, MR, MH

Memory reception: 256 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Options

Paper handling

PF-520 Paper feeder: Max. 500 sheets; 60-163 GSM; A4, A5, B5, Letter, Legal, Custom (148 x 210 mm - 216 x 356 mm)

PF-530 Paper feeder: Max. 500 sheets; 60-220 GSM; A4, A5, B5, Letter, Legal, Custom (148 x 210 mm - 216 x 356 mm)

Memory upgrade: MDDR2-256: 256 MB; MDDR2-512: 512 MB, MDDR2-1024: 1,024 MB

CompactFlash® card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage

USB Flash Memory: Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B): Support for various authentication keys available

IC Card Reader Holder (D): To integrate the USB IC Card Reader

Optional interface

IB-50: Gigabit-Printserver 10BaseT/100BaseTX/1000BaseT

CB-520 Cabinet: Wooden desk with storage capacity, including castors (wheels)

Consumables

Average continuous toner yield in accordance with ISO/IEC 19798

TK-590K Toner-Kit: Microfine toner black for 7,000 pages A4

TK-590C, TK-590M, TK-590Y Toner-Kits: Microfine toner cyan, magenta, yellow for 5,000 pages A4

Capacity of starter toner is black 3,500 pages A4, cyan, magenta, yellow 2,500 pages A4

Warranty

2-year warranty** as standard. KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYO LIFE Up to 5-year on-site warranty extensions available for product and options.



HyPAS™



Product depicted includes optional extras.

Kyocera Mita (UK) Ltd, 8 Beacontree Plaza, Gillette Way, Reading, RG2 0BS
Tel: 0118 931 1500, Fax: 0118 931 1108,
www.kyoceramita.co.uk, info@kyoceramita.co.uk

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

** Depending on the country

KYOCERA