

HIGH COLOUR PRODUCTIVITY IN COMPACT FORM

Busy teams working to tight deadlines need a single device to cope with their document needs rapidly, simply and reliably. These multifunctionals excel in such environments. Their high-speed printing, copying and scanning capabilities are enhanced by full colour support and the ability to scan both sides of a page in a single operation, leaving you free for other tasks. They can send scanned documents to different locations in numerous formats, simplifying and accelerating your document management processes. Their long-life components minimise costs and reduce environmental impact. They're perfect for your office.

- ▶ Up to 26 A4 pages per minute in colour and monochrome
- ▶ Up to 9,600 dpi print quality with multibit technology
- ▶ Time to first copy: 10/12 seconds in monochrome/colour
- ▶ Double-sided print, copy, scan and fax* functionality
- ▶ Confidentiality guaranteed by SSL, IPsec and Private Print function
- ▶ Optional support of various card authentication systems
- ▶ Power consumption reduced by white LED scanner
- ▶ Exceptionally low output costs in its class

*Only FS-C2126MFP+.

Double-sided colour documents are scanned in one process by the reversing document processor.



Toner cassettes - the only consumables users have to replace - are easily exchanged via the top cover.



FS-C2026MFP+/FS-C2126MFP+

A4 COLOUR MULTIFUNCTIONALS

ECOSYS stands for **ECO**logy, **ECON**omy and **SY**stem-printing. With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow enhancing functions as required. Integrated system software provides long-term cross-network compatibility. KYOCERA's long-life components cost you and the environment less.

PRESCRIBE II

With PRESCRIBE II, Kyocera's page design and control language, even complex graphics, logos and multipart forms can be created independently on a computer and stored in the printer. They can be recalled from the printer's memory as needed, reducing network congestion.

The KM NetViewer

KM Net Viewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunctionals from any Windows® PC and thus provides ideal network administration. It also supports other devices using the SNMP protocol.

Status Monitor and Command Center

The Status Monitor shows a printer's current condition and gives direct access to the web-based Command Centre for the configuration of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode and blocking of access to the control panel).

USB Host Interface for USB Flash Memory

PDF files can be printed directly from USB Flash Memory (e.g. a USB stick) via the USB host interface. Documents are selected directly via the printer's control panel. No computer is required.

General

Technology: KYOCERA ECOSYS, Colour Laser

Control panel display: 5 lines LCD display

Engine speed: Up to 26 pages A4 per minute in colour and monochrome

Resolution: 600 x 600 dpi, multibit technology for print quality of up to 9,600 x 600 dpi (print), 600 x 600 dpi, 256 greyscales per colour (scan/copy)

Duty cycle: Max. 65,000 pages per month

Warm-up time: Approx. 29 seconds or less

Time to first print: Approx. 9/10.5 seconds or less in monochrome / colour

Time to first copy: Approx. 10/12 seconds or less in monochrome / colour

CPU: PowerPC 464 / 667 MHz

Memory: Standard 768 MB, max. 1,792 MB

Standard interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100Base-TX, slot for optional print server, slot for optional CompactFlash® card

Integrated accounting: 20 department codes

Dimensions (W x D x H): 514 x 550 x 580 mm

Weight: Approx. 36.5 kg including toner container

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption

	FS-C2026MFP+	FS-C2126MFP+
Printing:	466 W	477 W
Copying:	470 W	479 W
Stand-by:	79 W	79 W
Sleep-mode:	16 W	17 W

Noise level (sound pressure level ISO 7779/ISO 9296):

Copying/Printing: 50 dB(A)

Stand-by: 30 dB(A)

Safety standards: TÜV/GS, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: 50-sheet multi-purpose tray, 60-220 GSM, A4, A5, A6, B5, Letter, Legal, Folio, Envelopes, Custom (70 x 148 to 216 x 356 mm), 250-sheet universal paper cassette, 60-163 GSM, A4, A5, A6, B5, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm), Max. input capacity with options: 1,300 sheets

Duplex unit: Duplex as standard supports 60-163 GSM

Reversing document processor: 50-sheet, simplex scan 50-120 GSM, duplex scan 50-110 GSM, A4, A5, B5, Letter, Legal, Custom (140 x 210 to 216 x 356 mm)

Output capacity: Max. 150 sheets face-down

Print functions

Controller language: PRESCRIBE IIc

Emulations: PCL 6 (5c/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Operating systems: All current Windows operating systems, MAC OS X Version 10.4 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3 and Private Print (requires memory expansion)

Copy functions

Max. original size: A4/Legal

Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Pre-set magnification ratios: 7 Reductions / 5 Enlargements

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text, photo, mix, map, printed document

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control

Scan functions

Functionality: Scan-to-e-mail, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WSD (WIA) scan (USB, network)

Scan speed: 35 ipm (300 dpi, A4, monochrome), 25 ipm (600 dpi, A4 monochrome, 300 dpi, A4, colour)

Scan resolution: 600, 400, 300, 200 dpi (256 greyscales per colour)

Max. scan size: A4, Legal

Original recognition: Text, photo, text + photo, OCR

File types: TIFF, PDF, PDF/A, JPEG, XPS

Compression method: MMR/JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once

Fax functions (FS-C2126MFP+ only)

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 seconds

Scanning speed: 2.5 seconds

One-touch dial: 22 numbers

Address book: 100 entries

Scanning density

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Halftone: 256 greyscales

Maximum original size: A4, Legal

Compression method: JBIG, MMR, MR, MH

Memory reception: 256 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Options

Paper handling

PF-520 Paper feeder: Max. 500 sheets; 60-163 GSM; A4, A5, B5, Letter, Legal, Custom (148 x 210 mm - 216 x 356 mm)

PF-530 Paper feeder: Max. 500 sheets; 60-220 GSM; A4, A5, B5, Letter, Legal, Custom (148 x 210 mm - 216 x 356 mm)

Memory upgrade: MDDR2-256: 256 MB; MDDR2-512: 512 MB, MDDR2-1024: 1,024 MB

CompactFlash® card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage

USB Flash Memory: Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B): Support for various authentication keys available

Optional interfaces (print servers)

PS159: Wireless LAN (802.11b/g)

PS1109 Gigabit Ethernet: 10BaseT/100BaseTX/1000BaseT (RJ-45)

PS129 Fibre Optic: 100BaseSX (SC)

PS1129 Gigabit Fibre Optic: 1000BaseSX (SC)

CB-520 Cabinet: Wooden desk with storage capacity, including castors (wheels)

Consumables

Average continuous toner yield in accordance with ISO/IEC 19798

TK-590K Toner-Kit: Microfine toner black for 7,000 pages A4

TK-590C, TK-590M, TK-590Y Toner-Kits: Microfine toner cyan, magenta, yellow for 5,000 pages A4

Capacity of starter toner is black 3,500 pages A4, cyan, magenta, yellow 2,500 pages A4

Warranty

2-year warranty** as standard. KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYO LIFE Up to 5-year on-site warranty extensions available for product and options.



Product depicted includes optional extras.

Your KYOCERA Business Partner:

Kyocera Mita (UK) Ltd, 8 Beacontree Plaza, Gillette Way, Reading, RG2 0BS
Tel: 0118 931 1500, Fax: 0118 931 1108
www.kyoceramita.co.uk, info@kyoceramita.co.uk

* KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

** Depending on the country

KYOCERA