



> PRINT > COPY > SCAN > FAX

TASKalfa 265ci

A4 COLOUR MULTIFUNCTIONAL

LOOKING FOR A COMPACT AND HIGHLY RELIABLE A4 COLOUR DEVICE?



This high quality compact device is the perfect partner for small and medium sized workgroups who need professional quality colour and black and white documents with a high degree of reliability. Dedicated programme keys easily optimise document workflows and KYOCERA's open software development platform HyPAS allows you to customise the device to meet your business needs. KYOCERA's long life components minimalises down time, costs and environmental impact.

- > Up to 26 pages per minute in A4 in colour and black and white
- > Time to first copy: 10 (12) seconds in black and white (colour)
- > Scan speed: up to 35 images per minute
- > Full colour touch panel provides ease of use
- > High security through SSL, IPsec and Private Print functionality
- > HyPAS solution platform enables powerful customisations
- > Compact design with low-noise



The TASKalfa 265ci incorporates extremely durable components that efficiently and reliably meet the demanding requirements of busy office environments. The TASKalfa 265ci provides a high level of productivity and flexibility whilst ensuring minimum impact on the environment.

GENERAL

Technology: KYOCERA Colour Laser, HyPAS solution platform

Control panel display: 4.3 inch full colour touch panel display

Engine speed: Up to 26 pages A4 per minute in colour and black and white

Resolution: 600 x 600 dpi, multibit technology for print quality of up to 9,600 x 600 dpi (print), 600 x 600 dpi, 256 greyscales per colour (scan/copy)

Warm-up time: Approx. 29 seconds or less

Time to first print: Approx. 9/10.5 seconds or less in black and white/colour

Time to first copy: Approx. 10/12 seconds or less in black and white/colour

CPU: PowerPC 464 / 800 MHz

Memory: Standard 1,024 MB, max. 2,048 MB

Standard interface:

USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100/1000Base-TX, slot for optional print server, slot for optional CompactFlash®-Card

Integrated accounting: 100 department codes

Dimensions (W x D x H): 514 x 550 x 603 mm

Weight: Approx. 38.7 kg including toner container

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption:

Printing: 475 W

Copying: 469 W

Stand-by: 76 W

Sleep-mode: 16 W

Noise level (sound pressure level ISO 7779/ISO 9296):

Copying/Printing: black and white 48dB(A) LpA, colour

48.3 dB (A) LpA

Stand-by: 28.4 dB(A) LpA

Safety standards: TÜV/GS, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

PAPER HANDLING

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: 50-sheet multi-purpose tray, 60–220 g/m², A4, A5, A6, B5, Letter, Legal, Folio, Envelopes, Custom (70 x148 to 216 x 356 mm),

250-sheet universal paper cassette, 60–163 g/m², A4, A5, A6, B5, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm),

Max. input capacity with options: 1,300 sheets

Duplex unit: Duplex as standard supports 60–163 g/m²

Reversing document processor: 50-sheet, Simplex scan 50–120 g/m², Duplex scan 50–110 g/m², A4, A5, B5, Letter, Legal, Custom (140 x 210 to 216 x 356 mm)

Output capacity: Max. 150 sheets face-down

PRINT FUNCTIONS

Controller language: PRESCRIBE IIc

Emulations: PCL 6 (5c/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Operating systems: All current Windows operating systems, MAC OS X Version 10.4 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3 and Private Print

COPY FUNCTIONS

Max. original size: A4/Legal

Continuous copying: 1–999

Zoom range: 25–400% in 1% steps

Preset magnification ratios: 7 Reductions/5 Enlargements

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text, Photo, Mix, Graphic/Map, Printer Output

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control

SCAN FUNCTIONS

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WSD (WIA) scan (USB, network)

Scan speed: 35 ipm (300 dpi, A4, black and white), 25ipm (600 dpi, A4 black and white, 300 dpi, A4, colour)

Scan resolution: 600, 400, 300, 200 dpi (256 grey scales per colour)

Max. scan size: A4, Legal

Original recognition: Text, Photo, Text + Photo, optimised for OCR

File types: TIFF, PDF, PDF/A, JPEG, XPS

Compression method: MMR/JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once

FAX FUNCTIONS

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 seconds

Scanning speed: 2.5 seconds

One touch dial: 100 numbers

Address book: 200 entries

Fax resolution:

Normal: 200 x 100 dpi

Fine: 200 x 200 dpi

Superfine: 200 x 400 dpi

Ultrafine: 400 x 400 dpi

Half tone: 256 grey scales

Maximum original size: A4, Legal

Compression method: JBIG, MMR, MR, MH

Memory reception: 256 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

OPTIONS

Paper handling

PF-520 Paper feeder: Max. 500 sheets; 60–163 g/m²; A4, A5, B5, Letter, Legal, Custom (148 x 210 mm – 216 x 356 mm)

PF-530 Paper feeder: Max. 500 sheets; 60–220 g/m²; A4, A5, B5, Letter, Legal, Custom (148 x 210 mm – 216 x 356 mm)

Memory upgrade: MDDR2-512: 512 MB, MDDR2-1024: 1,024 MB

CompactFlash®-Card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage and HyPAS™ applications

USB Flash Memory: Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B): Support for various authentication keys available

IC Card Reader Holder (D): To integrate the USB IC Card Reader

Optional Interface:

IB-50: Gigabit-Print server 10BaseT/100BaseTX/1000BaseT

CB-520 Cabinet: Wooden desk with storage capacity, including castors (wheels)

CONSUMABLES

Average continuous toner yield in accordance with 5% coverage A4

TK-5135K Toner-Kit: Micro fine toner black for 10,000 pages A4

TK-5135C, TK-5135M, TK-5135Y Toner-Kits: Micro fine toner cyan, magenta, yellow for 5,000 pages A4

Capacity of starter toner is black 5,000 pages A4, cyan, magenta, yellow 2,500 pages A4



HyPAS™

KYOCERA Document Solutions (UK) Ltd,
Eldon Court, 75-77 London Road, Reading RG1 5BS
Tel: 0118 931 1500 – Fax: 0118 931 1108
www.kyoceradocumentsolutions.co.uk – info@duk.kyocera.com

* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

YOUR KYOCERA BUSINESS-PARTNER

 **KYOCERA**
Document Solutions